



RESIDENTIAL WATER FILTRATION GUIDE



LET'S MAKE ONE THING PERFECTLY CLEAR

Common disinfection methods can cause undesirable tastes and odors in tap water. And even water that meets all applicable standards when it leaves the water plant can collect contaminants from outdated distribution systems and plumbing. If you get your water from a private well, it could be influenced by groundwater contaminants and even issues on the surface that trickle below. But there's no need to worry when you have the proper water filtration system to protect you and your family.



OUR SYSTEMS ARE PERFECT FOR:



Drinking Water & Ice

Cooking



Pets & Plants



Coffee & Tea







Reducing Plastic Waste

REVERSE OSMOSIS WATER FILTRATION SYSTEM

Triple Protection

Your water goes through three separate stages for the ultimate in cleanliness and clarity.

Prefilter

Removes chlorine and sediment down to 5 microns (1½th the diameter of a human hair)

Reverse Osmosis Membrane

Removes inorganic contaminants, chemicals and metals for the ultimate in protection

3 Postfilter

Removes organic contaminants, additional chemicals, and any tastes or odors for a final polish



High Capacity Storage Tank Holds plenty of drinking water for today's demanding families.

Twist and Pull Sanitary Filters Easily replace filters without touching filter media.

Lead-Free Designer Faucet

Smooth ceramic disc design with adjustable flow. Available in multiple finishes.

Filter Life Monitor

Alerts you when to replace filters.

DRINKING WATER SYSTEMS & FILTERS



- Highest level of filtration
- Perfect for drinking water, ice, coffee, pets & plants
- Includes parts necessary for a quick installation
- Long-lasting encapsulated filters

SPECIFICATIONS

| Model Number | NSRO42C4 | NSDW500 | NSDW300 | NSIF200 | NSIF100 | | |
|------------------------------|---------------------------|--------------------------------------|-----------------------|---|--------------------------------|--|--|
| Part Number | 7287695 | 7358187 | 7358276 | 7358315 | 7358488 | | |
| Description | Reverse Osmosis System | Dual-Stage System | Full-Flow System | 5-Year Refrigerator Filter | In-Line Refrigerator Filter | | |
| For Use with Filters | NSROF & NSROM | NSDW500R | NSDW300R | N/A | N/A | | |
| Daily Production Rate (gal) | 14.76 | N/A | N/A | N/A | N/A | | |
| Storage Tank Capacity (gal) | 2.4 | N/A | N/A | N/A | N/A | | |
| Flow Rate (gpm) | Up to 1.0 | 0.5 | 2.0 | 0.5 | 0.5 | | |
| Inlet - Outlet | 3/8″ Quick Connect | 3/8" Quick Connect or 3/8" MIP | 3/8″ Quick Connect | 1/4" Quick Connect & 1/4" Compression | 1/4″ Quick Connect | | |
| Filter Life | 750 gal or 6 months | 5 270 gal or 6 2000 ga months mon | | 2500 gal or 5 years | 1350 gal or 6 months | | |
| RO Membrane Life | 2 years | N/A | N/A | N/A | N/A | | |
| NSF Certification | NSF/ANSI 42 and 58 | NSF/ANSI 42 and 53 | NSF/ANSI 42 and 53 | NSF/ANSI 42 | NSF/ANSI 42 | | |
| CONTAMINANT REDUC | TION | | | | | | |
| Sediment - Sand, Dirt, Rust | • | • | • | • | • | | |
| Chlorine Taste & Odor | • | • | • | • | • | | |
| Cysts | • | • | | | | | |
| Lead | • | • | | | | | |
| Sodium | • | | | | | | |
| Sulfates | • | | | | | | |
| Nitrates/Nitrites | • | | | | | | |
| Copper | • | | | | | | |
| Zinc | • | | | | | | |
| Barium | • | | | | | | |
| Chromium | • | | | | | | |
| Arsenic | • | | | | | | |
| Radium | ٠ | | | | | | |
| TDS (Total Dissolved Solids) | • | | | | | | |
| WARRANTY | | | | | | | |
| 1 year parts warranty | • | ٠ | • | | | | |

10" STANDARD CAPACITY FILTERS





Grooved

Universal Fit

Fits most major brands of whole home housings

Provides more surface area and greater capacity

Carbon Block

Improves taste and odor of drinking water
 Premium Carbon with FACT[®]

· Low pressure drop allows for high flow rate

· High sediment filter - resistant to clogging

| SPECIFICATIONS | 10" STANDARD CAPACITY FILTERS | | | | | | |
|-----------------------------|-------------------------------|------------------|------------------------------|------------------|------------------|--|--|
| Model Number | NS205 | N\$217 | NSF217 | N\$225 | NS250 | | |
| Part Number | 7358323 | 7358226 | 7358234 | 7358331 | 7358349 | | |
| Description | Grooved | Carbon Block | Premium Carbon with FACT® | Grooved | Grooved | | |
| Dimensions | 2.5" × 10" | 2.5" × 10" | 2.5" × 10" | 2.5" × 10" | 2.5" × 10" | | |
| Micron Rating | 5 | 5 | 0.7 | 25 | 50 | | |
| Flow Rate (gpm) | 9 | 4 | 5 | 9 | 9 | | |
| Max Water Temperature | 140°F/60°C | 100°F/40°C | 100°F/40°C | 140°F/60°C | 140°F/60°C | | |
| Filter Life | 3 Months | 3 Months | 6 Months | 3 Months | 3 Months | | |
| Compatible with Systems | NSV200T NS200 | NSV200T NS200 | NSV200T NS200 | NSV200T NS200 | NSV200T NS200 | | |
| CONTAMINANT REDUCTION | | | | | | | |
| Sediment - Sand, Dirt, Rust | • | • | • | ٠ | • | | |
| Chlorine Taste & Odor | | • | • | | | | |

10" LARGE CAPACITY FILTERS



NSF Certified under NSF/ANSI 42 Universal Fit

Grooved

•

Fits most major brands of whole home housings

Provides more surface area and greater capacity

Carbon Block

Improves taste and odor of drinking water
 Premium Carbon with FACT[®]

- · Low pressure drop allows for high flow rate
- · High sediment filter resistant to clogging

| SPECIFICATIONS 10" LARGE CAPACITY FILTERS | | | | | | | |
|---|------------|--------------|------------------------------|------------|------------|--|--|
| Model Number | N\$905 | N\$917 | NSF917 | N\$925 | N\$950 | | |
| Part Number | 7358365 | 7358200 | 7358242 | 7358373 | 7358381 | | |
| Description | Grooved | Carbon Block | Premium Carbon with FACT® | Grooved | Grooved | | |
| Dimensions | 4.5" × 10" | 4.5" × 10" | 4.5" × 10" | 4.5" × 10" | 4.5" × 10" | | |
| Micron Rating | 5 | 25 | 0.7 | 25 | 50 | | |
| Flow Rate (gpm) | 20 | 4 | 22 | 20 | 20 | | |
| Max Water Temperature | 140°F/60°C | 100°F/40°C | 100°F/40°C | 140°F/60°C | 140°F/60°C | | |
| Filter Life | 3 Months | 3 Months | 6 Months | 3 Months | 3 Months | | |
| Compatible with Systems | N\$900 | NS900 | NS900 | NS900 | N\$900 | | |
| CONTAMINANT REDUCTION | | | | | | | |
| Sediment - Sand, Dirt, Rust | • | • | • | • | • | | |
| Chlorine Taste & Odor | | • | • | | | | |

20" STANDARD & LARGE CAPACITY FILTERS



NSF Certified under NSF/ANSI 42 Universal Fit

 Fits most major brands of 20" whole home housings

Grooved

Provides more surface area and greater capacity

Carbon Block

· Improves taste and odor of drinking water

| SPECIFICATIONS | 20" STANDARD & LARGE CAPACITY FILTERS | | | | | | |
|-----------------------------|---------------------------------------|-----------------|-----------------|-----------------|--|--|--|
| Model Number | N\$2052 | N\$9052 | NS9172 | N\$9252 | | | |
| Part Number | 7358357 | 7358399 | 7358218 | 7358404 | | | |
| Description | Grooved | Grooved | Carbon Block | Grooved | | | |
| Dimensions | 2.5" × 20" | 4.5" × 20" | 4.5" × 20" | 4.5" × 20" | | | |
| Micron Rating | 5 | 5 | 25 | 25 | | | |
| Flow Rate (gpm) | 18 | 50 | 25 | 50 | | | |
| Max Water Temperature | 140°F/60°C | 140°F/60°C | 100°F/40°C | 140°F/60°C | | | |
| Filter Life | 3 Months | 3 Months | 3 Months | 3 Months | | | |
| Compatible with Systems | N\$2002 | NS9002 & NS9003 | NS9002 & NS9003 | NS9002 & NS9003 | | | |
| CONTAMINANT REDUCTION | | | | | | | |
| Sediment - Sand, Dirt, Rust | • | • | • | • | | | |
| Chlorine Taste & Odor | | | • | | | | |

UNIVERSAL WHOLE HOME HOUSINGS





- NSF Certified under NSF/ANSI 42*
 Universal Fit uses most major brands of universal whole home filters
- · Easy-to-change filter cartridges
- · Ideal for point-of-entry applications

| SPECIFICATIONS | UNIVERSAL WHOLE HOME HOUSINGS | | | | | | |
|------------------------------|---|---|---|-----------------------|----------------------------|----------------------------|--|
| Model Number | NSV200T | NS200 | N\$900 | NS2002 | N\$9002 | N\$9003 | |
| Part Number | 7358420 | 7358438 | 7358454 | 7358446 | 7358462 | 7358470 | |
| Description | 10" Clear Housing, Valve in Head | 10″ Opaque Housing | 10″ Opaque Housing | 20″ Opaque Housing | 20″ Opaque Housing | 20″ Opaque Housing | |
| Inlet - Outlet | 3/4″ | 3/4″ |]″ | 3/4″ | 1″ | 1.5″ | |
| Product Dimensions | 14" x 5.5" | 13.5" × 4.5" | 13.25" x 7.25" | 23.5" x 7.25" | 23.5" x 7.25" | 23.5" x 7.25" | |
| Uses Filter Size | 2.5" × 10" | 2.5" × 10" | 4.5" × 10" | 2.5" × 20" | 4.5" × 20" | 4.5" × 20" | |
| Compatible with Filters | NSF217, NS217, NS205, NS225 & NS250 | NSF217, NS217, NS205, NS225 & NS250 | NSF917, NS917, NS905, NS925 & NS950 | NS2052 | NS9172 NS9052 NS9252 | NS9172 NS9052 NS9252 | |
| WARRANTY | | | | | | | |
| 1 year parts warranty | • | ٠ | • | • | • | • | |

*Does not apply to model NS2002

PREMIUM CARBON WITH FACT® TECHNOLOGY NSF917 & NSF217





NSF917

NSF217



Smaller fibers. Smarter filter.

Our Patented **Flow And Capture Technology** filter media features a sub-micron, pleated carbon design that delivers better flow, higher levels of filtration and longer life than most universal whole home filters.

NSORK100

O-Ring Kit for 10" Sump



FEATURES

- Part # 7363425
- Replacement o-rings for NSV200T, NS200, NS900
- Includes grease packet

EPUSW

Universal Strap Wrench



FEATURES

- Part # EPUSW00
- Use with 12.5" or 14.25" whole home housings

EP2BR

3/4" Mounting Bracket



FEATURES

- Part # EP2BROO
- Bracket for 3/4" whole home housing
- Fits NSV200T and NS200

WHEFCHR & WHEFSAT

Designer Faucet with Air Gap



FEATURES

- 3/8" Tubing Connection
- Chrome Faucet # WHEFCHR
- Brushed Nickel Faucet # WHEFSAT



EASY TO INSTALL

North Star systems come with fittings needed for a simple installation.



LOW MAINTENANCE

We incorporate high-efficiency technology and pro-grade materials into our North Star systems, delivering an easy-touse solution you can count on.



WARRANTY PROTECTION

North Star Water Treatment Systems boast the most comprehensive warranties in plumbing wholesale, proof of our commitment to quality.



HIGH QUALITY MANUFACTURING

Our U.S. based manufacturing facilities ensure each North Star system exceeds the strictest quality standards. Once our products leave our doors, you can expect a reliable, longlasting solution.



PRODUCT INNOVATION

Our commitment to research and development provides a constant stream of both products and technology, allowing us to continually push the boundaries within the water treatment industry.

WANT TO KNOW MORE?

If you need more information about North Star Water Filtration Systems, contact us or get in touch with your local North Star representative.

HOW TO CONTACT US

info@northstarwater.com

www.northstarwater.com

NORTH STAR ALSO OFFERS A COMPREHENSIVE LINE OF RESIDENTIAL SOFTENING & COMMERCIAL PRODUCTS

